



INSTALLATION INSTRUCTIONS

GT1305E – WALL MOUNT TABLE W/ RESIN TABLE TOP

CARTON #1 CONTENTS

CARTON #2 CONTENTS


ITEM	QUANTITY	DESCRIPTION
A	1	TOP BRACKET - 48" WIDE
B	1	BOTTOM BRACKET – 37" WIDE
C	2	MAIN SUPPORT BRACKET
D	1	SHELF, 12 X 31
-	8	NUTS, WASHERS, YELLOW CAPS
-	4	SCREWS, 1" LG

QUANTITY	DESCRIPTION
1	TABLE TOP – 2FT X 4FT
2	STIFFENERS
8	SCREWS – 1" LG

IMPORTANT NOTE: THE GT1305-1E PRODUCT CONSISTS OF THE METAL BRACKET & SHELF SETUP ONLY. A TABLE TOP IS NOT SUPPLIED WITH THE PURCHASE AND IS THE CUSTOMER'S RESPONSIBILITY TO SUPPLY A TABLE TOP OF HIS / HER CHOICE. A TABLE TOP IS SHOWN IN THE ABOVE AND FOLLOWING IMAGES AS A SUGGESTION OF WHAT CAN BE DONE AND CLARIFY THE ASSEMBLY STEPS. THE TOP USED CAN BE 24"-30" DEEP AND 48" TO 72" WIDE.

TOOLS REQUIRED - PLIERS / ELECTRIC DRIVER, PHILLIPS DRIVER BIT, 3/32" DRILL BIT

WALL MOUNT TABLE W/ RESIN TOP – ASSEMBLY INSTRUCTIONS



STEP 1



STEP 1

STEP #1: CHECK PARTS RECEIVED.



STEP 2



STEP 3

STEP #2: PLACE TOP BRACKET (A) THE DESIRED DISTANCE FROM THE FLOOR. MOUNT & FASTEN THE 2 MAIN SUPPORT BRACKETS (C) ON THE TOP BRACKET AS SHOWN. NOTE: THE SHELF MOUNTING HOLES ARE TO BE ON THE INSIDE OF THE BRACKETS.

STEP #3: MOUNT BOTTOM BRACKET (B) AND FASTEN WITH THE SUPPLIED NUTS, WASHERS & YELLOW CAPS



STEP 4




STEP 5

STEP #4: LOCATE THE SHELF IN-LINE WITH THE HOLES AND FASTEN IN PLACE WITH THE SUPPLIED SCREWS.

STEP #5: PLACE THE STIFFENERS ON THE UNDER SIDE OF THE TABLE TOP AS SHOWN.

WALL MOUNT TABLE W/ RESIN TOP – ASSEMBLY INSTRUCTIONS



STEP 6



STEP 7

STEP #6:

STEP #7: PLACE THE TABLE TOP ON THE SUPPORT BRACKETS (CHECK THE STIFFENERS ARE CENTERED ON THE TOP OF THE SUPPORT BRACKETS) AND WITH 1/2" TO 1" SELF DRILLING SCREWS FASTEN THROUGH ANY 2 HOLES IN EACH BRACKET ASSEMBLY.



COMPLETE